




os3150
Assembly

GENERAL TOLERANCES:
 4 PLACE DECIMAL +/- .0005
 3 PLACE DECIMAL +/- .002
 UNLESS OTHERWISE SPECIFIED, BREAK 2 PLACE DECIMAL +/- .010
 ALL SHARP EDGES .005/0.10 X .45 ANGLE DIM. +/- 1

THIS ENGLISH DRAWING HAS BEEN PREPARED IN ACCORDANCE WITH ANSI Y14.5M - 1982 DIMENSIONS SHOWN IN BRACKETS \square ARE MILLIMETERS AND FOR REFERENCE.

DESIGNED BY	SKF	DRAWN BY	SKF	FINAL APPROVAL	SIZE	A	SHEET NO.	1
DRAWING NO.								222811








DETAIL A

MICRON OPTICS
 10000 WILLOW CREEK DRIVE
 SUITE 100
 FORT COLLINS, CO 80526
 USA
 TEL: 970.226.1000
 WWW.MICRONOPTICS.COM



13



ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
DIMENSIONS IN PARENTHESES ARE FOR INFORMATION ONLY.
DIMENSIONS IN PARENTHESES ARE FOR INFORMATION ONLY.
DIMENSIONS IN PARENTHESES ARE FOR INFORMATION ONLY.
DIMENSIONS IN PARENTHESES ARE FOR INFORMATION ONLY.



13