

dualos

Dualos LLC
PO Box 24088
Federal Way, WA 98093
www.dualos.com

253-838-9263

High Performance Hydraulic Interface Components



PAGE 3



PART NUMBER

NEO 601F-P-04
 NEO 601F-P-05
 NEO 601F-P-06
 NEO 601F-P-08
 NEO 601F-P-10
 NEO 601F-P-12
 NEO 601F-P-16
 NEO 601F-P-20



PART NUMBER

NEO 601B-P-04
 NEO 601B-P-06
 NEO 601B-P-08
 NEO 601B-P-10
 NEO 601B-P-12
 NEO 601B-P-16
 NEO 601B-P-20

PAGE 6



PART NUMBER

NEO 605F-P-04
 NEO 605F-P-06
 NEO 605F-P-08
 NEO 605F-P-10
 NEO 605F-P-12
 NEO 605F-P-16
 NEO 605F-P-20



PART NUMBER

NEO 605B-P-04
 NEO 605B-P-06
 NEO 605B-P-08
 NEO 605B-P-10
 NEO 605B-P-12
 NEO 605B-P-16
 NEO 605B-P-20

PAGE 9



PART NUMBER
 NEO 901F-P-04
 NEO 901F-P-06
 NEO 901F-P-08
 NEO 901F-P-12
 NEO 901F-P-16
 NEO 901F-P-20



PART NUMBER
 NEO 905F-P-04
 NEO 905F-P-06
 NEO 905F-P-08
 NEO 905F-P-12
 NEO 905F-P-16
 NEO 905F-P-20



PART NUMBER
 NEO 001F-P-04
 NEO 001F-P-06
 NEO 001F-P-08
 NEO 001F-P-12
 NEO 001F-P-16
 NEO 001F-P-20



PART NUMBER
 NEO 005F-P-04
 NEO 005F-P-06
 NEO 005F-P-08
 NEO 005F-P-12
 NEO 005F-P-16
 NEO 005F-P-20

PAGE 12



PART NUMBER
 NEO 921F-A-04
 NEO 921F-A-06
 NEO 921F-A-08
 NEO 921F-A-10
 NEO 921F-A-12
 NEO 921F-A-16
 NEO 921F-A-20
 NEO 925F-A-04
 NEO 925F-A-06
 NEO 925F-A-08
 NEO 925F-A-10
 NEO 925F-A-12
 NEO 925F-A-16
 NEO 925F-A-20



PART NUMBER
 NEO 021F-A-04
 NEO 021F-A-06
 NEO 021F-A-08
 NEO 021F-A-10
 NEO 021F-A-12
 NEO 021F-A-16
 NEO 021F-A-20
 NEO 025F-A-04
 NEO 025F-A-06
 NEO 025F-A-08
 NEO 025F-A-10
 NEO 025F-A-12
 NEO 025F-A-16
 NEO 025F-A-20

PAGE 4



PART NUMBER

NEO 601C-P-04
 NEO 601C-P-06
 NEO 601C-P-08
 NEO 601C-P-10
 NEO 601C-P-12
 NEO 601C-P-16
 NEO 601C-P-20



PART NUMBER

NEO 801F-P-04
 NEO 801F-P-06
 NEO 801F-P-08
 NEO 801F-P-10
 NEO 801F-P-12
 NEO 801F-P-16
 NEO 801F-P-20

PAGE 7



PART NUMBER

NEO 605C-P-04
 NEO 605C-P-06
 NEO 605C-P-08
 NEO 605C-P-10
 NEO 605C-P-12
 NEO 605C-P-16
 NEO 605C-P-20



PART NUMBER

NEO 805F-P-04
 NEO 805F-P-06
 NEO 805F-P-08
 NEO 805F-P-10
 NEO 805F-P-12
 NEO 805F-P-16
 NEO 805F-P-20

PAGE 10



PART NUMBER

NEO 719F-P-06
 NEO 720F-P-06
 NEO 723F-P-08
 NEO 724F-P-16
 NEO 725F-P-08
 NEO 727F-P-08
 NEO 728F-P-06
 NEO 729F-P-10

PAGE 5



PART NUMBER

NEO 801B-P-04
 NEO 801B-P-06
 NEO 801B-P-08
 NEO 801B-P-10
 NEO 801B-P-12
 NEO 801B-P-16
 NEO 801B-P-20



PART NUMBER

NEO 801C-P-04
 NEO 801C-P-06
 NEO 801C-P-08
 NEO 801C-P-10
 NEO 801C-P-12
 NEO 801C-P-16
 NEO 801C-P-20

PAGE 8



PART NUMBER

NEO 805B-P-04
 NEO 805B-P-06
 NEO 805B-P-08
 NEO 805B-P-10
 NEO 805B-P-12
 NEO 805B-P-16
 NEO 805B-P-20



PART NUMBER

NEO 805C-P-04
 NEO 805C-P-06
 NEO 805C-P-08
 NEO 805C-P-10
 NEO 805C-P-12
 NEO 805C-P-16
 NEO 805C-P-20

PAGE 11



PART NUMBER
 NEO 941F-A-08
 NEO 941F-A-10
 NEO 941F-A-12
 NEO 941F-A-16
 NEO 941F-A-20
 NEO 941F-A-24
 NEO 941F-A-28
 NEO 941F-A-32
 NEO 941F-A-48
PART NUMBER
 NEO 943F-A-08
 NEO 943F-A-10
 NEO 943F-A-12
 NEO 943F-A-16
 NEO 943F-A-20
 NEO 943F-A-24
 NEO 943F-A-28
 NEO 943F-A-32
 NEO 943F-A-48



PART NUMBER
 NEO 942F-A-08
 NEO 942F-A-10
 NEO 942F-A-12
 NEO 942F-A-16
 NEO 942F-A-20
 NEO 942F-A-24
 NEO 942F-A-28
 NEO 942F-A-32
 NEO 942F-A-48
PART NUMBER
 NEO 944F-A-08
 NEO 944F-A-10
 NEO 944F-A-12
 NEO 944F-A-16
 NEO 944F-A-20
 NEO 944F-A-24
 NEO 944F-A-28
 NEO 944F-A-32
 NEO 944F-A-48



PAGE 13



PART NUMBER
 NEO 931F-A-04
 NEO 931F-A-06
 NEO 931F-A-08
 NEO 931F-A-10
 NEO 931F-A-12
 NEO 931F-A-16
 NEO 931F-A-20



PART NUMBER
 NEO 031F-A-04
 NEO 031F-A-06
 NEO 031F-A-08
 NEO 031F-A-10
 NEO 031F-A-12
 NEO 031F-A-16
 NEO 031F-A-20
 NEO 031F-A-24
 NEO 031F-A-28
 NEO 031F-A-32

PAGE 14



PART NUMBER
 NEO 420F-A-04E
 NEO 406F-A-06
 NEO 407F-A-06
 NEO 410F-A-08
 NEO 411F-A-08
 NEO 421F-A-08E
 NEO 412F-A-10
 NEO 413F-A-10
 NEO 422F-A-10E
 NEO 416F-A-12
 NEO 417F-A-12
 NEO 423F-A-12E



PART NUMBER
 NEO 440F-A-04E
 NEO 436F-A-06
 NEO 437F-A-06
 NEO 430F-A-08
 NEO 431F-A-08
 NEO 441F-A-08E
 NEO 432F-A-10
 NEO 433F-A-10
 NEO 442F-A-10E
 NEO 436F-A-12
 NEO 437F-A-12
 NEO 443F-A-12E

3000 PSI FITTINGS

Dualos LLC
PO Box 24088
Federal Way, WA 98093
www.dualos.com
253-838-9263




601F SERIES FITTINGS

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	B
NEO 601F-P-04	4, 12	JIC-37 Degree	4	0.4375-20 UNJF Class 3B	2.13	0.48
NEO 601F-P-05	12	JIC-37 Degree	5	0.5000-20 UNJF Class 3B	2.13	0.48
NEO 601F-P-06	6, 12	JIC-37 Degree	6	0.5625-18 UNJF Class 3B	2.18	0.49
NEO 601F-P-08	8, 12	JIC-37 Degree	8	0.7500-16 UNJF Class 3B	2.30	0.56
NEO 601F-P-10	10, 12	JIC-37 Degree	10	0.8750-14 UNJF Class 3B	2.44	0.66
NEO 601F-P-12	12	JIC-37 Degree	12	1.0625-12 UNJ Class 3B	2.52	0.70
NEO 601F-P-16	12	JIC-37 Degree	16	1.3125-12 UNJ Class 3B	2.74	0.79
NEO 601F-P-20	12	JIC-37 Degree	20	1.6250-12 UNJ Class 3B	2.87	0.98




601B SERIES FITTINGS

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	B	D
NEO 601B-P-04	4, 12	JIC-37 Degree	4	0.4375-20 UNJF Class 3B	1.67	0.48	1.45
NEO 601B-P-06	6, 12	JIC-37 Degree	6	0.5625-18 UNJF Class 3B	1.77	0.49	1.45
NEO 601B-P-08	8, 12	JIC-37 Degree	8	0.7500-16 UNJF Class 3B	1.89	0.56	1.45
NEO 601B-P-10	10, 12	JIC-37 Degree	10	0.8750-14 UNJF Class 3B	1.97	0.66	1.66
NEO 601B-P-12	12	JIC-37 Degree	12	1.0625-12 UNJ Class 3B	2.04	0.70	1.66
NEO 601B-P-16	12	JIC-37 Degree	16	1.3125-12 UNJ Class 3B	2.32	0.79	1.92
NEO 601B-P-20	12	JIC-37 Degree	20	1.625-12 UNJ Class 3B	2.45	0.85	2.01

601C SERIES FITTINGS



*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	B	D
NEO 601C-P-04	4, 12	JIC-37 Degree	4	0.4375-20 UNJF Class 3B	2.01	0.40	1.88
NEO 601C-P-06	6, 12	JIC-37 Degree	6	0.5625-18 UNJF Class 3B	2.11	0.49	1.88
NEO 601C-P-08	8, 12	JIC-37 Degree	8	0.7500-16 UNJF Class 3B	2.22	0.56	1.88
NEO 601C-P-10	10, 12	JIC-37 Degree	10	0.8750-14 UNJF Class 3B	2.37	0.66	2.25
NEO 601C-P-12	12	JIC-37 Degree	12	1.0625-12 UNJ Class 3B	2.44	0.70	2.25
NEO 601C-P-16	12	JIC-37 Degree	16	1.3125-12 UNJ Class 3B	2.63	0.79	2.50
NEO 601C-P-20	12	JIC-37 Degree	20	1.6250-12 UNJ Class 3B	2.81	0.85	2.70

801F SERIES FITTINGS



*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A
NEO 801F-P-04	4, 12	JIC-37 Degree	4	0.4375-20 UNJF Class 3A	1.88
NEO 801F-P-06	6, 12	JIC-37 Degree	6	0.5625-18 UNJF Class 3A	1.88
NEO 801F-P-08	8, 12	JIC-37 Degree	8	0.7500-16 UNJF Class 3A	2.00
NEO 801F-P-10	10, 12	JIC-37 Degree	10	0.8750-14 UNJF Class 3A	2.01
NEO 801F-P-12	12	JIC-37 Degree	12	1.0625-12 UNJ Class 3A	2.13
NEO 801F-P-16	12	JIC-37 Degree	16	1.3125-12 UNJ Class 3A	2.20
NEO 801F-P-20	12	JIC-37 Degree	20	1.6250-12 UNJ Class 3A	2.20

3000 PSI FITTINGS

Dualos LLC
PO Box 24088
Federal Way, WA 98093
www.dualos.com
253-838-9263




801B SERIES FITTINGS

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	D
NEO 801B-P-04	4, 12	JIC-37 Degree	4	0.4375-20 UNJF Class 3A	1.21	1.45
NEO 801B-P-06	6, 12	JIC-37 Degree	6	0.5625-18 UNJF Class 3A	1.47	1.45
NEO 801B-P-08	8, 12	JIC-37 Degree	8	0.7500-16 UNJF Class 3A	1.60	1.45
NEO 801B-P-10	10, 12	JIC-37 Degree	10	0.8750-14 UNJF Class 3A	1.55	1.66
NEO 801B-P-12	12	JIC-37 Degree	12	1.0625-12 UNJ Class 3A	1.65	1.66
NEO 801B-P-16	12	JIC-37 Degree	16	1.3125-12 UNJ Class 3A	1.79	1.92
NEO 801B-P-20	12	JIC-37 Degree	20	1.6250-12 UNJ Class 3A	1.85	2.22



801C SERIES FITTINGS

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	D
NEO 801C-P-04	4, 12	JIC-37 Degree	4	0.4375-20 UNJF Class 3A	1.78	1.88
NEO 801C-P-06	6, 12	JIC-37 Degree	6	0.5625-18 UNJF Class 3A	1.81	1.88
NEO 801C-P-08	8, 12	JIC-37 Degree	8	0.7500-16 UNJF Class 3A	1.88	1.88
NEO 801C-P-10	10, 12	JIC-37 Degree	10	0.8750-14 UNJF Class 3A	2.03	2.31
NEO 801C-P-12	12	JIC-37 Degree	12	1.0625-12 UNJ Class 3A	2.10	2.25
NEO 801C-P-16	12	JIC-37 Degree	16	1.3125-12 UNJ Class 3A	2.15	2.50
NEO 801C-P-20	12	JIC-37 Degree	20	1.6250-12 UNJ Class 3A	2.25	2.70


605F SERIES FITTINGS



*Approximate Dimensions [inches]
 **Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	B
NEO 605F-P-04	4, 12	JIC-37 Degree	4	0.4375-28 UNJEF Class 3B	2.08	0.40
NEO 605F-P-06	6, 12	JIC-37 Degree	6	0.5625-24 UNJEF Class 3B	2.19	0.49
NEO 605F-P-08	8, 12	JIC-37 Degree	8	0.7500-20 UNJEF Class 3B	2.30	0.56
NEO 605F-P-10	10, 12	JIC-37 Degree	10	0.8750-20 UNJEF Class 3B	2.45	0.66
NEO 605F-P-12	12	JIC-37 Degree	12	1.0625-18 UNJEF Class 3B	2.52	0.70
NEO 605F-P-16	12	JIC-37 Degree	16	1.3125-16 UNJ Class 3B	2.74	0.79
NEO 605F-P-20	12	JIC-37 Degree	20	1.6250-16 UNJ Class 3B	2.87	0.98

605B SERIES FITTINGS




*Approximate Dimensions [inches]
 **Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	B	D
NEO 605B-P-04	4, 12	JIC-37 Degree	4	0.4375-28 UNJEF Class 3B	1.67	0.40	1.45
NEO 605B-P-06	6, 12	JIC-37 Degree	6	0.5625-24 UNJEF Class 3B	1.77	0.49	1.45
NEO 605B-P-08	8, 12	JIC-37 Degree	8	0.7500-20 UNJEF Class 3B	1.89	0.56	1.45
NEO 605B-P-10	10, 12	JIC-37 Degree	10	0.8750-20 UNJEF Class 3B	1.97	0.66	1.66
NEO 605B-P-12	12	JIC-37 Degree	12	1.0625-18 UNJEF Class 3B	2.04	0.69	1.66
NEO 605B-P-16	12	JIC-37 Degree	16	1.3125-16 UNJ Class 3B	2.32	0.79	1.92
NEO 605B-P-20	12	JIC-37 Degree	20	1.6250-16 UNJ Class 3B	2.45	0.85	2.01

5080 PSI FITTINGS

Dualos LLC
PO Box 24088
Federal Way, WA 98093
www.dualos.com
253-838-9263



605C SERIES FITTINGS

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	B	D
NEO 605C-P-04	4, 12	JIC-37 Degree	4	0.4375-28 UNJEF Class 3B	2.01	0.40	1.88
NEO 605C-P-06	6, 12	JIC-37 Degree	6	0.5625-24 UNJEF Class 3B	2.11	0.49	1.88
NEO 605C-P-08	8, 12	JIC-37 Degree	8	0.7500-20 UNJEF Class 3B	2.22	0.56	1.88
NEO 605C-P-10	10, 12	JIC-37 Degree	10	0.8750-20 UNJEF Class 3B	2.37	0.66	2.25
NEO 605C-P-12	12	JIC-37 Degree	12	1.0625-18 UNJEF Class 3B	2.44	0.70	2.25
NEO 605C-P-16	12	JIC-37 Degree	16	1.3125-16 UNJ Class 3B	2.63	0.79	2.50
NEO 605C-P-20	12	JIC-37 Degree	20	1.6250-16 UNJ Class 3B	2.81	0.85	2.70




805F SERIES FITTINGS

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A
NEO 805F-P-04	4, 12	JIC-37 Degree	4	0.4375-28 UNJEF Class 3A	1.88
NEO 805F-P-06	6, 12	JIC-37 Degree	6	0.5625-24 UNJEF Class 3A	1.88
NEO 805F-P-08	8, 12	JIC-37 Degree	8	0.7500-20 UNJEF Class 3A	2.00
NEO 805F-P-10	10, 12	JIC-37 Degree	10	0.8750-20 UNJEF Class 3A	2.01
NEO 805F-P-12	12	JIC-37 Degree	12	1.0625-18 UNJEF Class 3A	2.13
NEO 805F-P-16	12	JIC-37 Degree	16	1.3125-16 UNJ Class 3A	2.20
NEO 805F-P-20	12	JIC-37 Degree	20	1.6250-16 UNJ Class 3A	2.20

805B SERIES FITTINGS




*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	D
NEO 805B-P-04	4, 12	JIC-37 Degree	4	0.4375-28 UNJEF Class 3A	1.21	1.45
NEO 805B-P-06	6, 12	JIC-37 Degree	6	0.5625-24 UNJEF Class 3A	1.47	1.45
NEO 805B-P-08	8, 12	JIC-37 Degree	8	0.7500-20 UNJEF Class 3A	1.60	1.45
NEO 805B-P-10	10, 12	JIC-37 Degree	10	0.8750-20 UNJEF Class 3A	1.55	1.66
NEO 805B-P-12	12	JIC-37 Degree	12	1.0625-18 UNJEF Class 3A	1.65	1.66
NEO 805B-P-16	12	JIC-37 Degree	16	1.3125-16 UNJ Class 3A	1.79	1.92
NEO 805B-P-20	12	JIC-37 Degree	20	1.6250-16 UNJ Class 3A	1.85	2.22

805C SERIES FITTINGS



*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END [1]	PORT SIZE 2	THREAD END [2]	A	D
NEO 805C-P-04	4, 12	JIC-37 Degree	4	0.4375-28 UNJEF Class 3A	1.78	1.88
NEO 805C-P-06	6, 12	JIC-37 Degree	6	0.5625-24 UNJEF Class 3A	1.81	1.88
NEO 805C-P-08	8, 12	JIC-37 Degree	8	0.7500-20 UNJEF Class 3A	1.88	1.88
NEO 805C-P-10	10, 12	JIC-37 Degree	10	0.8750-20 UNJEF Class 3A	2.03	2.31
NEO 805C-P-12	12	JIC-37 Degree	12	1.0625-18 UNJEF Class 3A	2.10	2.25
NEO 805C-P-16	12	JIC-37 Degree	16	1.3125-16 UNJ Class 3A	2.15	2.50
NEO 805C-P-20	12	JIC-37 Degree	20	1.6250-16 UNJ Class 3A	2.25	2.70



**901
 3000 PSI
 SERIES
 FITTINGS**

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available



**905
 5080 PSI
 SERIES
 FITTINGS**

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE	THREAD END
NEO 901F-P-04	4	0.4375-20 UNJF Class 3B
NEO 901F-P-06	6	0.5625-18 UNJF Class 3B
NEO 901F-P-08	8	0.7500-16 UNJF Class 3B
NEO 901F-P-10	10	0.8750-14 UNJF Class 3B
NEO 901F-P-12	12	1.0625-12 UNJ Class 3B
NEO 901F-P-16	16	1.3125-12 UNJ Class 3B
NEO 901F-P-20	20	1.6250-12 UNJ Class 3B

PART NUMBER	PORT SIZE	THREAD END
NEO 905F-P-04	4	0.4375-28 UNJEF Class 3B
NEO 905F-P-06	6	0.5625-24 UNJEF Class 3B
NEO 905F-P-08	8	0.7500-20 UNJEF Class 3B
NEO 905F-P-10	10	0.8750-20 UNJEF Class 3B
NEO 905F-P-12	12	1.0625-18 UNJEF Class 3B
NEO 905F-P-16	16	1.3125-16 UNJ Class 3B
NEO 905F-P-20	20	1.6250-16 UNJ Class 3B



**001
 3000 PSI
 SERIES
 FITTINGS**

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available



**005
 5080 PSI
 SERIES
 FITTINGS**

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE	THREAD END
NEO 001F-P-04	4	0.4375-20 UNJF Class 3A
NEO 001F-P-06	6	0.5625-18 UNJF Class 3A
NEO 001F-P-08	8	0.7500-16 UNJF Class 3A
NEO 001F-P-10	10	0.8750-14 UNJF Class 3A
NEO 001F-P-12	12	1.0625-12 UNJF Class 3A
NEO 001F-P-16	16	1.3125-12 UNJ Class 3A
NEO 001F-P-20	20	1.6250-12 UNJ Class 3A

PART NUMBER	PORT SIZE	THREAD END
NEO 005F-P-04	4	0.4375-28 UNJEF Class 3A
NEO 005F-P-06	6	0.5625-24 UNJEF Class 3A
NEO 005F-P-08	8	0.7500-20 UNJEF Class 3A
NEO 005F-P-10	10	0.8750-20 UNJEF Class 3A
NEO 005F-P-12	12	1.0625-18 UNJEF Class 3A
NEO 005F-P-16	16	1.3125-16 UNJ Class 3A
NEO 005F-P-20	20	1.6250-16 UNJ Class 3A



CHECK VALVE BODY (NO INTERNAL VALVE)

*Approximate Dimensions [inches]

**Optional orange paint stripe and 12" Lanyard with attached "REMOVE BEFORE FLIGHT" flag available

PART NUMBER	PORT SIZE 1	THREAD END (1)	PORT SIZE 2	THREAD END (2)	A	B
NEO 719F-P-06	6	0.5625-24 UNJEF Class 3B	4	0.4375-28 UNJEF Class 3A	1.499	0.813
NEO 720F-P-06	6	0.5625-18 UNJF Class 3A	8	0.7500-16 UNJEF Class 3A	1.80	1
NEO 723F-P-08	8	0.7500-16 UNJF Class 3A	10	0.8750-14 UNJF Class 3A	2.025	1.125
NEO 724F-P-16	16	1.3125-12 UNJ Class 3A	20	1.6250-12 UNJ Class 3A	3.318	1.88
NEO 725F-P-08	8	0.7500-20 UNJEF Class 3A	10	0.8750-20 UNJEF Class 3A	2.025	1.125
NEO 726F-P-08	8	0.7500-16 UNJFC Class 3A	6	0.5625-18 UNJEF Class 3B	1.85	1.062
NEO 727F-P-08	8	0.7500-20 UNJEF Class 3A	10	0.8750-20 UNJEF Class 3A	6.86	1.8
NEO 728F-P-06	6	0.5625-24 UNJEF Class 3A	8	0.7500-20 UNJEF Class 3A	6.7	1.375
NEO 729F-P-10	10	0.8750-20 UNJEF Class 3A	8	0.7500-20 UNJEF Class 3A	6.86	1.375

FUEL CAPS


Dualos LLC
 PO Box 24088
 Federal Way, WA 98093
 www.dualos.com
 253-838-9263



NEO 941 FUEL TUBE CAP

(Clam Shell Clamps not Included)


PART NUMBER	TUBE OD
NEO 941F-A-08	0.500
NEO 941F-A-10	0.625
NEO 941F-A-12	0.750
NEO 941F-A-16	1.000
NEO 941F-A-20	1.250
NEO 941F-A-24	1.500
NEO 941F-A-28	1.750
NEO 941F-A-32	2.000
NEO 941F-A-36	2.250
NEO 941F-A-40	2.500
NEO 941F-A-48	3.000
NEO 941F-A-56	3.500
NEO 941F-A-64	4.000



NEO 943 FUEL TUBE PLUG

(Clam Shell Clamps not Included)


PART NUMBER	TUBE OD
NEO 943F-A-08	0.500
NEO 943F-A-10	0.625
NEO 943F-A-12	0.750
NEO 943F-A-16	1.000
NEO 943F-A-20	1.250
NEO 943F-A-24	1.500
NEO 943F-A-28	1.750
NEO 943F-A-32	2.000
NEO 943F-A-36	2.250
NEO 943F-A-40	2.500
NEO 943F-A-48	3.000
NEO 943F-A-56	3.500
NEO 943F-A-64	4.000



NEO 942 FUEL TUBE CAP

(Clam Shell Clamps not Included)


PART NUMBER	TUBE OD
NEO 942F-A-08	0.500
NEO 942F-A-10	0.625
NEO 942F-A-12	0.750
NEO 942F-A-16	1.000
NEO 942F-A-20	1.250
NEO 942F-A-24	1.500
NEO 942F-A-28	1.750
NEO 942F-A-32	2.000
NEO 942F-A-36	2.250
NEO 942F-A-40	2.500
NEO 942F-A-48	3.000
NEO 942F-A-56	3.500
NEO 942F-A-64	4.000
NEO 942F-A-72	4.500
NEO 942F-A-80	5.000
NEO 942F-A-88	5.500




NEO 944 FUEL TUBE PLUG

(Clam Shell Clamps not Included)

PART NUMBER	TUBE OD
NEO 944F-A-08	0.500
NEO 944F-A-10	0.625
NEO 944F-A-12	0.750
NEO 944F-A-16	1.000
NEO 944F-A-20	1.250
NEO 944F-A-24	1.500
NEO 944F-A-28	1.750
NEO 944F-A-32	2.000
NEO 944F-A-36	2.250
NEO 944F-A-40	2.500
NEO 944F-A-48	3.000
NEO 944F-A-56	3.500
NEO 944F-A-64	4.000
NEO 944F-A-72	4.500
NEO 944F-A-80	5.000
NEO 944F-A-88	5.500





OPEN HYDRAULIC LINE CAP

All caps ship with BMS 3-11 Compatible O-Ring Seal

**Approximate Dimensions [inches]*



OPEN HYDRAULIC LINE PLUG

All plugs ship with BMS 3-11 Compatible O-Ring Seal

**Approximate Dimensions [inches]*

PART NUMBER	PORT SIZE	THREAD END
NEO 921F-A-04	4	0.4375-20 UNJF Class 3B
NEO 921F-A-06	6	0.5625-18 UNJF Class 3B
NEO 921F-A-08	8	0.7500-16 UNJF Class 3B
NEO 921F-A-10	10	0.8750-14 UNJF Class 3B
NEO 921F-A-12	12	1.0625-12 UNJ Class 3B
NEO 921F-A-16	16	1.3125-12 UNJ Class 3B
NEO 921F-A-20	20	1.6250-12 UNJ Class 3B
NEO 925F-A-04	4	0.4375-28 UNJEF Class 3B
NEO 925F-A-06	6	0.5625-24 UNJEF Class 3B
NEO 925F-A-08	8	0.7500-20 UNJEF Class 3B
NEO 925F-A-10	10	0.8750-20 UNJEF Class 3B
NEO 925F-A-12	12	1.0625-18 UNJEF Class 3B
NEO 925F-A-16	16	1.3125-16 UNJ Class 3B
NEO 925F-A-20	20	1.6250-16 UNJ Class 3B

PART NUMBER	PORT SIZE	THREAD END
NEO 021F-A-04	4	0.4375-20 UNJF Class 3A
NEO 021F-A-06	6	0.5625-18 UNJF Class 3A
NEO 021F-A-08	8	0.7500-16 UNJF Class 3A
NEO 021F-A-10	10	0.8750-14 UNJF Class 3A
NEO 021F-A-12	12	1.0625-12 UNJ Class 3A
NEO 021F-A-16	16	1.3125-12 UNJ Class 3A
NEO 021F-A-20	20	1.6250-12 UNJ Class 3A
NEO 025F-A-04	4	0.4375-28 UNJEF Class 3A
NEO 025F-A-06	6	0.5625-24 UNJEF Class 3A
NEO 025F-A-08	8	0.7500-20 UNJEF Class 3A
NEO 025F-A-10	10	0.8750-20 UNJEF Class 3A
NEO 025F-A-12	12	1.0625-18 UNJEF Class 3A
NEO 025F-A-16	16	1.3125-16 UNJ Class 3A
NEO 025F-A-20	20	1.6250-16 UNJ Class 3A



OPEN FUEL LINE CAP

All caps ship with Nitrile or Fluorsilicone O-ring Seal

**Approximate Dimensions [inches]*



OPEN FUEL LINE PLUG

All plugs ship with Nitrile or Fluorsilicone O-ring Seal

**Approximate Dimensions [inches]*

PART NUMBER	PORT SIZE	THREAD END
NEO 931F-A-04	4	0.4375-20 UNJF Class 3B
NEO 931F-A-06	6	0.5625-18 UNJF Class 3B
NEO 931F-A-08	8	0.7500-16 UNJF Class 3B
NEO 931F-A-10	10	0.8750-14 UNJF Class 3B
NEO 931F-A-12	12	1.0625-12 UNJ Class 3B
NEO 931F-A-16	16	1.3125-12 UNJ Class 3B
NEO 931F-A-20	20	1.6250-12 UNJ Class 3B

PART NUMBER	PORT SIZE	THREAD END
NEO 031F-A-04	4	0.4375-20 UNJF Class 3A
NEO 031F-A-06	6	0.5625-18 UNJF Class 3A
NEO 031F-A-08	8	0.7500-16 UNJF Class 3A
NEO 031F-A-10	10	0.8750-14 UNJF Class 3A
NEO 031F-A-12	12	1.0625-12 UNJ Class 3A
NEO 031F-A-16	16	1.3125-12 UNJ Class 3A
NEO 031F-A-20	20	1.6250-12 UNJ Class 3A
NEO 031F-A-24	24	1.8750-12-UNJ Class 3A
NEO 031F-A-28	28	2.2500-12 UNJ Class 3A
NEO 031F-A-32	32	2.5000-12 UNJ Class 3A

LCF OPEN HYDRAULIC LINE PLUG

*All plugs ship with BMS 3-11
 Compatible O-Rings, Viton® Cuff
 and Four Metal Clamps.*

**Approximate Dimensions [inches]*



PART NUMBER	TUBE OD	TUBE ID	WALL THICKNESS	TAIL STAMP
NEO 420F-A-04E	0.457	0.251	-	NE-04
NEO 406F-A-06	0.375	0.311	0.032	N-06
NEO 407F-A-06	0.375	0.337	0.019	W-06
NEO 410F-A-08	0.500	0.414	0.043	N-08
NEO 411F-A-08	0.500	0.456	0.022	W-08
NEO 421F-A-08E	0.772	0.503	-	NE-08
NEO 412F-A-10	0.625	0.517	0.054	N-10
NEO 413F-A-10	0.625	0.579	0.023	W-10
NEO 422F-A-10E	0.929	0.629	-	NE-10
NEO 416F-A-12	0.750	0.620	0.065	N-12
NEO 417F-A-12	0.750	0.696	0.027	W-12
NEO 423F-A-12E	1.110	0.755	-	NE-12

LCF OPEN FUEL LINE PLUGS

All Fuel Line plugs ship with Nitrile or Fluorsilicone O-Rings, Viton® Cuff and Four Metal Clamps

**Approximate Dimensions [inches]*

PART NUMBER	TUBE OD	TUBE ID	WALL THICKNESS	TAIL STAMP
NEO 440F-A-04E	0.457	0.251	-	NF-04
NEO 436F-A-06	0.375	0.311	0.032	N-06F
NEO 437F-A-06	0.375	0.337	0.019	W-06F
NEO 430F-A-08	0.500	0.414	0.043	N-08F
NEO 431F-A-08	0.500	0.456	0.022	W-08F
NEO 441F-A-08E	0.772	0.503	-	NF-08
NEO 432F-A-10	0.625	0.517	0.054	N-10F
NEO 433F-A-10	0.625	0.579	0.023	W-10F
NEO 442F-A-10E	0.929	0.629	-	NF-10
NEO 436F-A-12	0.750	0.620	0.065	NF-12
NEO 437F-A-12	0.750	0.696	0.027	W-12F
NEO 443F-A-12E	1.110	0.755	-	NF-12

Compatibility Charts & Part Number Legend

Dualos LLC
PO Box 24088
Federal Way, WA 98093
www.dualos.com
253-838-9263



NEO 001-X-XX	THREAD COMPATIBLE WITH	AS1007
NEO 021-X-XX		AS33514
NEO 031-X-XX		AS33515
NEO 601-X-XX		AS4132
NEO 801-X-XX		AS4138
NEO 901-X-XX		AS4139
NEO 921-X-XX		AS4140
NEO 931-X-XX		AS4370
		AS4375
		AS4568
		AS4569
		AS4570
		AS5202
		AS5230
		AS5791
	BACE21	
	BACN10	

NEO 005-X-XX	THREAD COMPATIBLE WITH	AS5550
NEO 025-X-XX		AS5827
NEO 605-X-XX		AS5828
NEO 805-X-XX		AS5868
NEO 905-X-XX		AS5952
NEO 925-X-XX		AS5953
		AS5954
		AS5974
		AS5975
		BACN11

COMPATIBLE WITH

NEO 941-X-XX		AS5836
NEO 942-X-XX		AS1653
NEO 943-X-XX		AS5836
NEO 944-X-XX		AS1653

DUALOS Part Number Legend

NEO VxxY-Z-BB-AA			PORT SIZE	inches	mm
V	4	Open Line Plug	-04	0.25	6.35
	6	Male to Female	-05	0.313	7.938
	7	Fuse/Check Valve Body	-06	0.375	9.525
	8	Male to Male	-08	0.5	12.7
	9	Cap	-10	0.625	15.875
	0	Threaded Plug	-12	0.75	19.05
			-16	1	25.4
			-20	1.25	31.75
Y	F = Straights, C = 90 Degrees, B = 45 Degrees				
Z	P = Stainless (15-5PH or 17-4PH), C = Carbon (41-30 or 41-40) , T = Titanium (6AL-4V) or A = Aluminum (7075-T6 or 6061-T6)				
BB	Port Size 2				
AA	Port Size 1				

Viton® is a registered trademark of DuPont Performance Elastomers
Tivlarbon®, Dualos® and NEO® are registered trademarks of Dualos, LLC
Copyright© 2015 Dualos LLC

Distributed Exclusively by:



Mailing: P.O. Box 24058, Federal Way, WA 98093

Physical: 4809 Wa-Tau-Ga Ave NE, Tacoma, WA 98422

Phone: 253-838-9263

FAX: 253-942-4700